

PCT/100

## STIC Biotechnology Systems Branch

### CRF Problem Report

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) experienced a problem when processing the following computer readable form (CRF):

Application Serial Number: 10/523,191  
Filing Date: 1/25/05  
Date Processed by STIC: 2/22/05

STIC Contact: Mark Spencer: Telephone: 571-272-2510; Fax: 571-273-0221

#### Nature of Problem:

The CRF (was):

- ☐ (circle one) Damaged or Unreadable (for Unreadable, see attached)  
☐ Blank (no files on CRF) (see attached)  
☐ Empty file (filename present, but no bytes in file) (see attached)  
☐ Virus-infected. Virus name: \_\_\_\_\_ The STIC will not process the CRF.  
☒ Not saved in ASCII text (*see attached*)  
☐ Sequence Listing was embedded in the file. According to Sequence Rules, submitted file should **only** be the Sequence Listing.  
☐ Did not contain a Sequence Listing. (see attached sample)  
☐ Other: \_\_\_\_\_

**PLEASE USE THE CHECKER VERSION 4.2.2 PROGRAM TO REDUCE ERRORS.  
SEE BELOW FOR ADDRESS:**

**<http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm>**

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/efb/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):  
U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314

Revised 01/24/05

## Raw Sequence Listing Error Summary

<u>ERROR DETECTED</u>	<u>SUGGESTED CORRECTION</u>	SERIAL NUMBER: <u>10/523,191</u>
ATTN: NEW RULES CASES: PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO SOFTWARE		
1 <input type="checkbox"/> Wrapped Nucleics <input type="checkbox"/> Wrapped Aminos	The number/text at the end of each line "wrapped" down to the next line. This may occur if your file was retrieved in a word processor after creating it. Please adjust your right margin to .3; this will prevent "wrapping."	
2 <input type="checkbox"/> Invalid Line Length	The rules require that a line not exceed 72 characters in length. This includes white spaces.	
3 <input type="checkbox"/> Misaligned Amino <input type="checkbox"/> Numbering	The numbering under each 5 <sup>th</sup> amino acid is misaligned. Do not use tab codes between numbers; use space characters, instead.	
4 <input checked="" type="checkbox"/> Non-ASCII	The submitted file was not saved in ASCII(DOS) text, as required by the Sequence Rules. Please ensure your subsequent submission is saved in ASCII text.	
5 <input type="checkbox"/> Variable Length	Sequence(s) <input type="checkbox"/> contain n's or Xaa's representing more than one residue. Per Sequence Rules, each n or Xaa can only represent a single residue. Please present the maximum number of each residue having variable length and indicate in the <220>-<223> section that some may be missing.	
6 <input type="checkbox"/> PatentIn 2.0 <input type="checkbox"/> "bug"	A "bug" in PatentIn version 2.0 has caused the <220>-<223> section to be missing from amino acid sequences(s) <input type="checkbox"/> . Normally, PatentIn would automatically generate this section from the previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section to the subsequent amino acid sequence. This applies to the mandatory <220>-<223> sections for Artificial or Unknown sequences.	
7 <input type="checkbox"/> Skipped Sequences (OLD RULES)	Sequence(s) <input type="checkbox"/> missing. If intentional, please insert the following lines for each skipped sequence: (2) INFORMATION FOR SEQ ID NO:X: (insert SEQ ID NO where "X" is shown) (i) SEQUENCE CHARACTERISTICS: (Do not insert any subheadings under this heading) (xi) SEQUENCE DESCRIPTION:SEQ ID NO:X: (insert SEQ ID NO where "X" is shown) This sequence is intentionally skipped  Please also adjust the "(ii) NUMBER OF SEQUENCES:" response to include the skipped sequences.	
8 <input type="checkbox"/> Skipped Sequences (NEW RULES)	Sequence(s) <input type="checkbox"/> missing. If intentional, please insert the following lines for each skipped sequence. <210> sequence id number <400> sequence id number 000	
9 <input type="checkbox"/> Use of n's or Xaa's (NEW RULES)	Use of n's and/or Xaa's have been detected in the Sequence Listing. Per 1.823 of Sequence Rules, use of <220>-<223> is MANDATORY if n's or Xaa's are present. In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents.	
10 <input type="checkbox"/> Invalid <213> Response	Per 1.823 of Sequence Rules, the only valid <213> responses are: Unknown, Artificial Sequence, or scientific name (Genus/species). <220>-<223> section is required when <213> response is Unknown or is Artificial Sequence	
11 <input type="checkbox"/> Use of <220>	Sequence(s) <input type="checkbox"/> missing the <220> "Feature" and associated numeric identifiers and responses. Use of <220> to <223> is MANDATORY if <213> "Organism" response is "Artificial Sequence" or "Unknown." Please explain source of genetic material in <220> to <223> section. (See "Federal Register," 06/01/1998, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of Sequence Rules)	
12 <input type="checkbox"/> PatentIn 2.0 <input type="checkbox"/> "bug"	Please do not use "Copy to Disk" function of PatentIn version 2.0. This causes a corrupted file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other manual means to copy file to floppy disk.	
13 <input type="checkbox"/> Misuse of n/Xaa	"n" can only represent a single <u>nucleotide</u> ; "Xaa" can only represent a single <u>amino acid</u>	

see item 4 on Euro summary  
sheet

10/523,191

SEQUENCE LISTING

**Does Not Comply  
Corrected Diskette Needed**

<110> Kaneka Corporation,

Nagoya Industrial Science Research Institute (Chubu  
Technology Licensing Office)

<120> Method of expressing gene in transgenic birds using  
retrovirus vector and transgenic birds thus obtained

<130> T753/TRANS-1

<150> JP P2002-236089

<151> 2002-08-13

see next page

10/523,191

<210> 5

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Designed sequence of a 5'-primer incorporating the  
Nhe I recognition site at the 5' terminal used for PCR  
amplification of the chicken  $\beta$ -actin promoter fragment  
lacking the intron

<400> 5

tttagctagc tgcagctcag tgcattgcac 29

The submitted file could  
not be processed due  
to scientific symbols  
(example shown above)  
throughout the file.

Please do not use  
scientific symbols or  
foreign accent marks.  
They cannot be processed  
by CRF software.

Please "spell-out" the  
scientific symbols (e.g. beta)